### LAFAYETTE"Criterion"®

### Hi-Fi Speaker Systems

#### **CRITERION "2X" 2-SPEAKER 2-WAY ACOUSTIC SUSPENSION SYSTEM**



- Truly Compact, Measures only 11"W x 7"D x 81/4"H
- · Power Handling 20 Watts
- 5" Acoustic Suspension Woofer with 7/8" voice coil and 1 lb. magnet structure
- 31/2" Cone-Type Tweeter
- 60-19,000 Hz overall response

A low-cost, ultra-compact 2-way speaker system that offers aston ishing music reproduction for its size. Perfect for use as main speakers with low-powered stereo amplifiers or receivers.... as remote or extension speakers in any existing stereo hi-fi systemeven as replacement speakers to upgrade sound quality in modular compact phono systems. Fine sound quality results from the use of techniques employed in high-priced hi-fi speaker systems. 5" woofer in a sealed cabinet uses the well-known acoustic suspension principle to produce substantial bass from a system this size. A 31/2" two-ter provides smooth countries along a system to 10,000 Hz tweeter provides smooth, crystal-clear sound up to 19,000 Hzenclosure is fiberglass-loaded to reduce unpleasant resonances. Fin ished on four sides in rich oiled walnut-veneer. Crossover frequency 4000 Hz. Impedance 8 ohms. Imported. Shpg. wt., 9 lbs. 99 A 02388W Net 14.95

### **CRITERION "50A" 2-SPEAKER** 2-WAY BOOKSHELF SYSTEM



5 Yr. AAA Guarantee 30-Watts Power Handling Capability

 Powerful 8" Woofer with 1" **Aluminum Voice Coil** 

- 3¹/2" Cone-Type Radiator Tweeter
- Frequency Response: 55-19,000 Hz

Improved version of our best selling Criterion 50. Provides Impres sive hi-fi-sound, yet measures only 19"W x 87/8"D x 107/8"H. Contains, two separate speakers—you get an 8-inch woofer with a 32.6 oz. magnet structure and 1" aluminum voice coil acoustically matched with a 3 1/2" cone-type Radiator Tweeter. Provides superb wide-range response from 55-19,000 Hz. An acoustically "tuned" enclosure, fully lined, assures smooth resonant-free sound output with extended bass response. The enclosure is finished on all four sides in a rich, hand-rubbed oiled walnut veneer and tastefully framed in an ebony and gold picture frame moulding with white and gold acoustic grill material. Truly, an outstanding buy at this low price. Designed for vertical or horizontal placement. Built-in electrical crossover at 7,000 Hz. Nominal Impedance: 8 ohms. Imported. 99 A 02131W Shpg. wt.. 22 lbs. Net 29.95

### **CRITERION "25A" 2-SPEAKER 2-WAY AIR SUSPENSION 8" SYSTEM**



Guarantee

- 25 Watts Power Handling Capacity
- 8" Woofer, 21/2 Tweeter
- Frequency Response: 55-18,500 Hz. of
  Rich, Hand Rubbed Oiled Walnut Finish

FULL SIZE PERFORMANCE . . . achieves a purity sound and music quality that is astounding for a speaker system measuring only 123/8x101/4X7"D. Perfect for use anywhere in your home or office. System consists of a powerful 8" woofer which provides smooth bass sound reproduction down to 55 Hz, and a 21/2" cone tweeter that gives you sparkling clean high frequency response. Built-in 8,000 Hz., electrical crossover network. Power handling capacity of 25 watts makes it compatible, for use with most amplifiers, and receivers makes it compatible for use with most amplifiers and receivers. Interior of cabinet is designed to damp out standing waves and other spurious vibrations. Voice Coil Impedance: 8 ohms. Woofer: 8" high compliance with 32.6 oz. magnet structure-, rolled edge suspension. Tweeter: 21/2" cone type with 2.4 oz. magnet structure. Imported. Shpg. wt.. 121/2lbs.

99 A 02255W Net 19.95

### **CRITERION "77" 3-SPEAKER 3-WAY ACOUSTIC SUSPENSION SHELF SYSTEM**



5-Year AAA Guarantee

- 30-Watts Power Handling Capability
- 81/2" Woofer with 13/4 Lb. Magnet Structure and 1" Voice Coil
- 31/2" Mid-Range Speaker with 1/2" Voice Coil
- 11/2" Direct-Radiator Type Tweeter

Expert combining of components for outstanding performance at an unbelievable low price! Heavy-duty 81/2" woofer in a sealed fiberglass-filled enclosure uses the well-known acoustic suspension principle to extend response down to a low 40 Hz, assuring deep, natural bass with outstanding clarity and impact. Reliable 31/2" cone-type mid-range speaker reproduces clean, full bodied sound throughout the important middle frequency range. Sharply detailed high frequency reproduction Is accomplished with a 11/2" direct radiator type tweeter. Electrical crossover network at 3,000 and 10,000 Hz. High frequency level control (on rear) permits you to tailor the sound to your specific room acoustics. Handsome walnut finish on four sides. Overall response-. 40 Hz to 19,000 Hz. Impedance: 8 ohms. Imported. Size: 199/14"W x 107/8"H x 815/<sub>14</sub>"D. Wt.. 21 lbs. 99 A 02321WX No Money Down-

## LAFAYETTE "Criterion"® Hi-Fi Speaker Systems

#### LAFAYETTE CRITERION® 100B 3-SPEAKER 3-WAY BOOKSHELF SYSTEM



49<sup>95</sup>

5 YEAR AAA

Guarantee.

◆ Power Handling Capacity 40 Watts

- Powerful 10" Woofer with 51/2 lb.Magnet Structure and 2" Diameter Voice Coil
- 31/2" Mid-Range Speaker
- 11/2" Direct Radiator Super Tweeter

Top quality, moderately priced 3-speaker 3-way system that delivers really "big" sound. A powerful 10 inch woofer with a 51/2 lb. magnet structure and 2" pure copper wire voice coil provides smooth bass response down to 30 Hz. A 31/2" mid-range and a direct radiator type super tweeter provides reproduction of the mid range and high frequencies. All 3 speakers are acoustically matched and employ a 12 db/octave L/C crossover network at 3.500 Hz and 10,000 Hz. System also features a high frequency brilliance control. Enclosure is a bass-reflex type using a "sonic tube" to provide proper acoustic tuning and has a beautiful walnut finish on 4 sides. Dimensions are 211/2W x 113/4H x 93/4"D. Overall frequency response: 30-19,000 Hz; nominal impedance: 6-ohms; power handling capacity: 40 watts program material, imported. Wt.. 31 lbs.

99 A 02115WX No Money Down\* Net **49.95** 

## **CRITERION "VI" 50 WATT 6-SPEAKER 4-WAY SYSTEM**



89<sup>95</sup>

5 YEAR AAA Guarantee. Enclosure Uses "Sonic Tube" for Deep, Reinforced Bass

 12\*' Woofer with 41/2 lb. Magnet Structure and Large 2" Voice Coil

 5" Midrange Speaker Housed in a Sealed Fiberglass Filled Sub-Enclosure

Frequency Response: 20-20,000 Hz

Here's a bookshelf system with the big, multI-dimensional sound that only multiple speakers can produce... and at an unbeatable price too! Every musical instrument is reproduced with brilliant realism because there are 6 speakers covering four portions of the entire audio spectrum. There's a big 12" speaker for the lows, a 5" unit for the midrange, two 3" tweeters for the highs and two 11/2 super-tweeters for the ultra high frequencies. Enclosure is of 3/4" construction and is fiberglass-filled. Tastefully styled with a fine furniture finish of oiled walnut on four sides. Overall Response.-20-20,000 Hz. Impedance: 8 ohms. Crossover Frequencies: 800 and 5,000 Hz (6 db/octave LC network). 12,000 Hz (mechanical). Controls-. Continuously Variable Midrange and High frequency. Dimensions: 24 x 141/2 x 12"D. Imported. Shpg. wt., 42 lbs. 99 A02263WX No Money Down\*

#### CRITERION "4X" 12" 4-WAY 4-SPEAKER 50-WATT SPEAKER SYSTEM

69<sup>95</sup>

5-Year AAA Guarantee

- 12" Woofer with 41/2 lb.
   Magnet Structure and Large 2" Voice Coil
- 5" Midrange Driver
- 3" Hi-Frequency Tweeter
- 11/2" Super-High Frequency Tweeter



Specially engineered 4-speaker system with a full 4-way electrical crossover, housed in a deluxe oiled walnut enclosure. 4 separate speakers, each a brilliant performer over its assigned range, work in harmony to provide superb overall sound. A big 12" woofer operating in a rigid fiberglass-filled enclosure with a tube-type v ducted port (sonic tube), provides deep, enhanced bass. A 5" midrange speaker housed in its'own fiberglass-filled chamber and acoustically isolated from the main bass enclosure, assures smooth, j peak-free reproduction in the important mid-range. Two high fre- • . quency units cover the upper musical ranges—a 3" speaker from 5.000 to 10,000 Hz ,and a 11/2" super tweeter from 10,000 to 20.000 Hz. Specifications—Overall Response: 25 to 20,000 Hz. Cross over Network: 4-way LC (coil-capacitor) at 800, 5,000 and 10,000 Hz. Impedance: 8-ohms. Also has high frequency and mid-range controls. Dimensions: 22 x 141/4 x 115/8"D. Imported. Shpg. wt., 40 lbs. 99 A 02370WUX No Money Down\*

## DELUXE CRITERION\* "5XB" 75-WATT 12" 4-WAY ACOUSTIC SUSPENSION SYSTEM



12995

5 YEAR AAA Guarantee.

- 12" Woofer Features a 6 lb. 2 oz. Magnet Structure ... .
- 61/2" Acoustically Isolated Mid-Range Speaker
- 3" Aluminum Cone Type Tweeter
- 11/2" Aluminum Cone Super Tweeter

Employing the acoustic suspension principle, the Criterion 5XB provides astonishing overall range and clarity, with a deep, solid bass response that makes a stunning impact on the listener. Four outstanding speakers are used to cover the full spectrum of sound. A 12" acoustic suspension woofer with 6 lb. 2 oz. magnet structure produces remarkably low bass response—undistorted even at high power levels. An acoustically isolated 61/2" mid-range speaker with 12.4 oz. magnet structure provides flawless reproduction of the mid-range—free of annoying peaks, yet adding true "presence" to the system. Extending response to beyond audibility are 3" and 11/2" tweeters. Separate, continuously variable mid and treble range controls. Enclosure has a fine furniture finish in oiled walnut on all four sides. Specifications—Overall Response: 18 to 25 000 Hz

on all four sides. Specifications—Overall Response: 18 to 25,000 Hz, Impedance: 8-ohms. Size: 237/8 x I43/8 x II5/8"D.

99 A02230WUX imported. Shpg. wt.. 46 lbs.

Net **129.95** 

# LAFAYETTE Criterion "80" 100 Watt 6-Speaker 4-Way Acoustic Suspension Consolette Speaker System

The Finest Reproducer of Sound Offered by LAFAYETTE for the Home...

159<sup>5</sup>
5 Yr. AAA Guarantee
See Page 9

- Overall Response 18-25,000 Hz
- 12" Acoustic Suspension Woofer with over 6-lb. Magnet Structure and Edge-Wound Ribbon-Type Copper Voice Coil on an Aluminum Form
- 61/2" Acoustically Isolated Midrange Speaker with 12-oz. Magnet Structure
- FourTweeters-Two 3" Tweeters and Two 11/2"Super Tweeters
- Separate Midrange and High Frequency Level Controls
- 3/4" Enclosure in Rich, Hand-rubbed Oiled Walnut Finish

A no-compromise 6-speaker system created for just one purpose—the authentic reproduction of a massive symphony orchestra. Brings the spectacular realism of a living performance right into your home. This major accomplishment was achieved by careful selection and design of speaker units and enclosure. A 12" acoustic suspension woofer in a large air-tight enclosure over 31/2 cubic feet. In overall size results In remarkably powerful, solid bass. Added to this is an acoustically Isolated 61/2" midrange speaker that offers natural "presence" without exaggerated midrange peaks. Four tweeters

spread across the front in a calculated con figuration ensure a wide dispersion of the highs and reduce high frequency "beaming." Two of these are 3" units covering the 4,500 to 12,000 Hz range, and two are ultra-high frequency 11/2" aluminum cone units that extend response to well beyond audibility. Crossover frequencies: electrical at 800 and 4,500 Hz, mechanical at 12,000 Hz. Handsome enclosure is finished in a rich, handrubbed oiled walnut with dark brown tweed grille cloth. Impedance 8 ohms. Dimensions: 30"H x 18"W x 12"D. Imported. Wt., 6 7 lbs. 99 A 02248WX No Money Down\* Net 159.95

## LAFAYETTE CRITERION 150A 3-SPEAKER 3-WAY ACOUSTIC SUSPENSION SPEAKER SYSTEM

### **Power Handling Capacity: 40 Watts**

- Overall Response 30 to 20,000 Hz.
- 10" Acoustic Suspension Woofer with 21/2 lb. Magnet Structure .
- L/C Crossover at 1600 Hz. and 10,000 Hz.
- High Frequency Level ControlFine Furniture Oiled Walnut
  - Finish

ONLY 595 5 Yr. AAA Guarantee

### LAFAYETTE CRITERION "R-10" SOLID STATE TRINARY REVERB AMPLIFIER/SPEAKER SYSTEM Actually 3 Quality Amplifiers in 1

- 1) Use as a Reverb Amplifier and Speaker;
- 2) Use as a . Stereo Center Channel Amplifier and Speaker;.
- 3) Use as a Phono Amplifier and Speaker

Engineered to fill an important void in today's high fidelity market. Certain to be one of our best sellers. Enhances your stereo listening by adding a center channel to your amplifier or receiver. Creates concert-hall realism when used as a reverb amplifier and speaker in stereo or mono systems. Or.you can plug in a record changer with a ceramic cartridge—and you have a complete hi-fi system. Wide-range high compliance speaker delivers rich natural sound. Power output is 1.7 watts RMS. Sensitivity—ceramic phono—100 mv. center channel—150 mv. Inputs—Reverb, Center channel, phono (all inputs use RCA jacks and require leads with RCA plugs). Space-age solid state circuitry. Front panel volume control with push type on/off switch. Rear panel AC convenience jack. Size: 113/4W x 81/4H x 57/8"D. For 117 VAC 60 Hz. Imported. Shpg. wt.. 8 lbs.

60 Hz. Handsome Hand Oiled Walnut



Handsome Hand Rubbed Oiled Walnut Cabinet

